



Stage diameter [mm]	Thrust at 150 bar [ton]
145	24.7
126	18.7
107	13.5
088	9.2
069	5.6

Cylinder Description	Ø Stages [mm]									Stroke [mm]	E [mm]	R [mm]	Ø Ball [mm]	Capacity [Lt]	Weight [Kg]
	I	II	III	IV	V	VI	VII	VIII	IX						
B DWR 5/1025/ 168	145	126	107	88	69					1025	415	186	60	11.5	50
B DWR 5/1125/ 168	145	126	107	88	69					1125	435	209	60	12.3	53
B DWR 5/1225/ 168	145	126	107	88	69					1225	455	227	60	13.3	55
B DWR 5/1325/ 168	145	126	107	88	69					1325	475	245	60	14.4	57
B DWR 5/1425/ 168	145	126	107	88	69					1425	495	263	60	15.4	59
B DWR 5/1525/ 168	145	126	107	88	69					1525	515	282	60	16.5	62
B DWR 5/1725/ 168	145	126	107	88	69					1725	555	320	60	18.5	67
B DWR 5/2000/ 168	145	126	107	88	69					2000	615	378	60	20.9	75

#### ACCESSORIES

Cradle (page 10.01)		Brackets (page 13.01, 12.01)		Turn adapters (page 11.01)	
CUL#C4		SU#CC	SU#AB	RSN#90ABXBC0	