



Stage diameter [mm]	Thrust at 150 bar [ton]
145	24.7
126	18.7
108	13.7
092	9.9
076	6.8
060	4.2

Cylinder Description	Ø Stages [mm]									Stroke [mm]	E [mm]	R [mm]	Ø Ball [mm]	Capacity [Lt]	Weight [Kg]
	I	II	III	IV	V	VI	VII	VIII	IX						
B DWR 6/1230/ 168	145	126	108	92	76	60				1230	420	196	60	12.6	50
B DWR 6/1350/ 168	145	126	108	92	76	60				1350	440	213	60	13.4	53
B DWR 6/1470/ 168	145	126	108	92	76	60				1470	460	231	60	14.6	56
B DWR 6/1590/ 168	145	126	108	92	76	60				1590	480	250	60	15.7	58
B DWR 6/1710/ 168	145	126	108	92	76	60				1710	500	268	60	16.3	61
B DWR 6/1830/ 168	145	126	108	92	76	60				1830	520	287	60	18.0	64
B DWR 6/2070/ 168	145	126	108	92	76	60				2070	560	324	60	20.3	69
B DWR 6/2400/ 168	145	126	108	92	76	60				2400	620	383	60	23.8	75

#### ACCESSORIES

Cradle (page 10.01)		Brackets (page 13.01, 12.01)		Turn adapters (page 11.01)	
CUL#C4		SU#CC	SU#AB	RSN#90ABXBC0	