



Stage diameter [mm]	Thrust at 150 bar [ton]
165	32.1
145	24.7
126	18.7
107	13.5
088	9.1
069	5.6

Cylinder Description	Ø Stages [mm]									Stroke [mm]	E [mm]	R [mm]	Ø Ball [mm]	Capacity [Lt]	Weight [Kg]
	I	II	III	IV	V	VI	VII	VIII	IX						
B DWR 6/1225/ 188	165	145	126	107	88	69				1225	420	201	60	15.7	64
B DWR 6/1345/ 188	165	145	126	107	88	69				1345	440	218	60	16.9	69
B DWR 6/1465/ 188	165	145	126	107	88	69				1465	460	236	60	18.3	70
B DWR 6/1585/ 188	165	145	126	107	88	69				1585	480	254	60	19.9	74
B DWR 6/1705/ 188	165	145	126	107	88	69				1705	500	272	60	21.3	78
B DWR 6/1825/ 188	165	145	126	107	88	69				1825	520	290	60	22.8	80
B DWR 6/2065/ 188	165	145	126	107	88	69				2065	560	327	60	25.8	86
B DWR 6/2400/ 188	165	145	126	107	88	69				2400	620	385	60	29.9	94

#### ACCESSORIES

Cradle (page 10.02)		Brackets (page 13.01, 12.01)		Turn adapters (page 11.01)	
CUL#CH		SU#CD	SU#AC	RSN#90ACXBC0	